PATENT ABSTRACTS OF JAPAN

(11)Publication number: 63-090573
(43)Date of publication of application: 21.04.1988
(51)Int.Cl. C09C 1/42 A61K 7/021 C09B 67/20
(21)Application number: 61-236020 (71)Applicant: SHISEIDO CO LTD
(22)Date of filing: 03.10.1986 (72)Inventor: YAMAGUCHI MICHIHIRO
(z) z z poprzez z goz open goz z pozza pro-

(54) LIPOPHILIC COLORED COMPOSITE PIGMENT COMPOSITION

(57)Abstract:

PURPOSE: To obtain the titled composition, by treating a water-swellable clay mineral with a quaternary ammonium salt type cationic surfactant and acid dye, capable of assuming a bright color tone and having improved light and water resistance as well as water repellency and good compatibility with oils without coloring property for the skin. CONSTITUTION: A pigment composition obtained by treating 100g water-swellable clay mineral, e.g. a kind of colloidal hydrous aluminum silicate having a three-layer structure such as montmorillonite, etc., with preferably 60W140 mequiv. quaternary ammonium salt type cationic surfactant, e.g. dodecyl trimethylammonium chloride, etc., and preferably 0.1W100 mequiv. acid dye, Orange II, etc.

.....

LEGAL STATUS [Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]